# Submittal Requirements - 1 & 2 Family Residential





City of Portland Oregon
Development Services Center
1900 SW Fourth Avenue
Portland, Oregon 97201
503-823-7300
www.portlandoregon.gov/bds

Bureau of Development Services Bureau of Environmental Services Portland Fire & Rescue Bureau of Parks & Recreation Portland Water Bureau Portland Bureau of Transportation

# Additions to the envelope of a structure, not adding an additional dwelling unit

This handout describes the information that must be submitted when applying for a permit to increase the floor area ("envelope") of an existing one or two family dwelling. It does NOT apply where the project will result in an additional dwelling unit. See the "Adding a Dwelling Unit" submittal requirements (<a href="www.portlandoregon.gov/bds/article/92698">www.portlandoregon.gov/bds/article/92698</a>).

If your project will also involve the addition of a garage, please see our "Minimum Submittal Standards for Garages and Sheds". (<a href="https://www.portlandoregon.gov/bds/article/92710">www.portlandoregon.gov/bds/article/92710</a>)

**Submittal Materials** must clearly distinguish between existing conditions and proposed work. Please be aware that, since every project is unique, there may be some situations where you will be asked to provide

additional information. Drawings must be black and white (color cannot be accepted) and clearly legible, with dimensions and notes printed to match 12-point font minimum; i.e. the underlined font is Times New Roman 12. Google maps and Portland maps are not acceptable. Additional information on drawing standards can be found in Brochure #6 "What Plans do I need for a Building Permit" (www.portlandoregon.gov/bds/article/93021). ☐ Completed Building Permit Application (www.portlandoregon.gov/bds/article/71706) Tree preservation standards apply to projects with ground disturbance activity if the lot is 5,000 square feet or greater (www.portlandoregon.gov/trees/66977) ☐ Erosion Control plan (may be a part of the Site Plan) if the project will result in disturbing the ground www.portlandoregon.gov/bds/article/184903 ☐ Soils Report if lot slope exceeds 20% or if non-prescriptive foundation designs are proposed. Special studies may be required for properties in or near Mapped Landslide Inventory Areas (www.portlandoregon.gov/bds/article/485456). A Stormwater Plan and/or a Mitigation Form if your project will add more than 500 square feet of impervious area. Four (4) copies of Site, Architectural, and Structural Drawings for the area of proposed work and areas affected by such work. Please refer to page 2 for details on plan requirements specific to Additions (footprint only) ☐ Structural Calculations—Two (2) set prepared and stamped by the architect or engineer in the State of Oregon of record for the work covered. Calculations shall include a design summary and be sufficiently complete to demonstrate that the structural system is capable of supporting all imposed vertical and lateral loads and to demonstrate how loads are carried to the foundation. Residential Water Service Application (if more than 3.5 bathrooms) www.portlandoregon.gov/bds/article/184903 ☐ If your project includes Electrical, Mechanical and/or Plumbing work you must submit a signed electrical, mechanical, plumbing application(s) at the time your permit is processed. Useful links to the Trade Applications: • Mechanical: www.portlandoregon.gov/bds/article/71708 • Electrical: <u>www.portlandoregon.gov/bds/article/71707</u> • Plumbing: www.portlandoregon.gov/bds/article/71709 Major Alteration and Addition Neighborhood Notice Certification Form (www.portlandoregon.gov/bds/article/522384) if your project includes any of the following:

1. Adding any new story, including a basement or other below-grade structure. Raising a structure to meet

2. Increasing or replacing 50 percent or more of the exterior wall area on any floor. If the subflooring under

the required headroom in a basement is considered the same as creating a basement.

4. Adding an area exceeding 100 percent of the existing foundation footprint area of the structure.

3. Adding total new floor area to the existing structure that exceeds 800 square feet, or

an exterior wall is removed, it will be treated as if the wall were removed.

JII	<b>LE Fiairs</b> (Scale site plans to most appropriate scale, e.g. 1 = 10 or 1/4 = 1. Wilhimum printed text size is 3/32 )
	Property lines, with dimensions. Please note: At the time of the setback inspection you are required to provide exposed property corner pins readily viewable on at least one side of the property from the front to the back of the property with a string line set for reference, or provide a survey that identifies the property lines, for the purpose of measuring the required building setbacks.
	Total area (in square feet) of the lot
	Adjacent streets and any easements
	Property address and R number
	North arrow
	Grade elevations at property corners and corners of structure(s) with reference elevation datum
	Distance between buildings and between buildings and property lines
	Area (in square feet) of any existing or proposed buildings
	Area (in square feet) of any proposed paving
	Landscaping – if your lot is 5,000 sq. ft. or greater, show the location, size, and species of existing trees that are 6" diameter and larger.
	Street trees—show existing street trees.
	Location of sewer and water lines and method of stormwater disposal (if your project will add more than 500 square feet of impervious area, you will need to provide a Mitigation Form or Stormwater Plan, including Operations and Maintenance agreement)
	Major geographical features (e.g. flood plain, natural drainage courses with elevation and centerline)
	Location of existing septic tanks, cesspools and drainfields (both abandoned and in active use).
Sin	<b>chitectural Plans</b> (Scale of plans to be ½"=1' and details scaled to ½"=1'. Minimum printed text size is 3/32 gle line drawings are not acceptable – plans must be drawn to show wall thickness)
ч	Fully dimensioned floor plans, showing:
	<ul> <li>Demolished walls, existing walls to remain, and proposed walls (with wall legend)</li> <li>Windows (noting size, sill height, method of operation, safety glazing and window wells where required) and doors (showing size and swing direction) for each floor affected</li> <li>Label for use of each room</li> <li>Plumbing fixture layout</li> <li>Gas/oil furnace and water heater location</li> <li>Electrical light fixtures, exhaust fans, and smoke and carbon monoxide detectors</li> </ul>
	Exterior building elevations (3 side views, minimum), with labels for new and existing areas, existing and proposed roof pitch(es) and siding material. New building height (dormers and additional stories) must be dimensioned from an identifiable base point on the site (see: Zoning Code Measurements Chapter <a href="https://www.portlandoregon.gov/bps/article/53502">www.portlandoregon.gov/bps/article/53502</a> ).
	Dimensioned building section(s), showing:
	<ul> <li>Typical wall, floor, ceiling, roof, and foundation construction</li> <li>Overall ceiling height and any dropped ceilings or soffits in converted area</li> </ul>
	Stair details with dimensions for risers, treads, headroom clearance, guardrail and handrails (www.portlandoregon.gov/bds/article/93024)
	Energy Conservation information:
	<ul> <li>Insulation R-value for ceiling, walls floors, U-values for windows and doors</li> <li>Energy "Additional Measures" as required per ORSC N1101.3. Useful link to the 2014 Energy Efficiency Ad- ditional Measures Requirements: <a href="https://www.portlandoregon.gov/bds/article/213933">www.portlandoregon.gov/bds/article/213933</a></li> </ul>
	Details of all non-typical construction

**Structural Plans** (Scale of plans to be ¼"=1' and details scaled to ½"=1'. Minimum printed text size is 3/32")

- Gravity load analysis showing load transfer through added or altered areas, including:
  - Roof framing plan showing existing and new members. Include beams and rafters (with lumber size, spacing and span) and supporting walls and posts.
  - Floor framing plan(s) showing existing and new members. Include beams and joists (with lumber size, spacing and span) and supporting walls and posts.
  - Foundation plan showing how new loads are supported. Include ventilation, underfloor access and holdowns.
  - Calculations for new structural elements or existing structural elements that are impacted by the addition.
- ☐ Lateral load analysis for resistance to wind and seismic forces, showing either prescriptive or engineered method, including:
  - For Prescriptive method (per ORSC R602.10): Locate, dimension and identify type of braced panels and braced wall lines. Coordinate with wall bracing work sheets. Useful links to the "Residential Wall Bracing Guide" (http://www.portlandoregon.gov/BDS/article/366279) and State of Oregon Alternative Method: www.oregon.gov/bcd/codes-stand/Pages/residential-structures.aspx.
  - For Engineered method: drawings, details and calculations prepared and stamped by a licensed design professional showing shear walls, nailing pattern, type of sheathing, and hold downs where required. Engineering calculation packets shall be separate from the plans, but engineering details are to be incorporated into the construction documents and cross-referenced on the plans
  - Where the addition is considered minor in nature and you will be utilizing "Lateral Bracing Requirements for Minor Additions and Dormers in Existing 1&2 Family Construction", provide documentation that justifies the use of the referenced document. See http://www.portlandoregon.gov/bds/article/365961
- Where new load is added to an existing foundation, a stamped letter from an engineer addressing the adequacy of the existing foundation to support the new load and how the existing foundation conforms to the OSSC as applicable.
- Details for connections to existing construction

Is your site in a flood hazard area? Please direct floodplain development questions to Site Development at (503) 823-6892.

## **Helpful Information**

City of Portland, Oregon 1900 SW 4th Avenue, Portland, OR 97201 www.portlandoregon.gov/bds

#### **General Office Hours:**

Monday through Friday, 8:00 am to 5:00 pm

BDS main number: 503-823-7300

### Permit Information is available at the following location:

Development Services Center (First Floor) For Hours Call 503-823-7310

or visit www.portlandoregon.gov/bds

Permitting Services (Second Floor) For Hours Call 503-823-7310

or visit www.portlandoregon.gov/bds

#### Information on choosing a contractor

(http://www.portlandoregon.gov/bds/article/525047)

For more detailed information regarding the bureau's hours of operation and available services;

> Visit our website www.portlandoregon.gov/bds

All information is subject to change.

**SUBMITTAL GUIDELINES - 1 & 2 FAMILY RESIDENTIAL** 

## Important telephone numbers

DSC automated information line	503-823-7310
Building code information	503-823-1456
Zoning information	503-823-7526
Permit information for electrical, mechanical, plumbing, sewer	
and sign	503-823-7363
Development review process	503-823-7357
Permit resources and records	503-823-7660

BDS main number .......503-823-7300

### System development charges information

Bureau of Environmental Services	503-823-7761	
Bureau of Parks & Recreation	503-823-5105	
Portland Water Bureau	503-823-7368	
Portland Bureau of Transportation	503-823-7002	

BDS 24 hour inspection request line requires IVR number and three digit

type of inspection code......503-823-7000 Portland License Bureau ...... 503-823-5157

City of Portland TTY ...... 503-823-6868 Tree Hotline ...... 503-823-8733